



COMFORT**R**

Dom  
CERAMICHE



# COMIFORT

## La nuova visione della ceramica

The new ceramic concept

La Comfort R fa parte di un progetto completo nato per dare la possibilità di abbinare materiali diversi combinabili per nuance di colore.

Cementine, resina, legno, pietra e gesso possono essere singoli protagonisti degli spazi di arredo, oppure mixati tra loro per realizzare un gioco continuo di fusioni e di trasformazioni, unificate dalle tonalità cromatiche.

Formati e superfici bene si adattano a un'idea di abitare contemporaneo e ridisegnano l'ambiente donando un senso pieno di completezza e armonia.

Comfort R is part of a comprehensive project allowing different materials with complementary shades of colors to be mixed-and-matched together.

Cementine, resin, wood, stone and gypsum can be individual protagonists of a room setting, or can be combined to create a never-ending alternation of blends and transformations linked by the same color scheme.

Sizes and surface textures are well-suited to a contemporary furnishing style and reshape the environment by providing an overall sense of completeness and harmony.

**Dom**  
C E R A M I C H E

**90x90**  
35,4"x35,4"

# COMIFORT **R**

23,4"x23,4"

**59,5x59,5**

**44,5x90** 17,5"x35,4"

**Il design della resina,  
la tecnologia del porcellanato  
The creativity of resin,  
the technology of porcelain stoneware**



# COMIFORT **R**

public

Libertà assoluta di  
creare spazi armoniosi  
e ricercati.

**Absolute freedom  
to design refined and  
harmonious settings.**



diningroom



livingroom



bathroom








# COMFORT **R**

diningroom



WALL: COMFORT G Beige Avenue 33,3x100 - 13"x39,4"  
FLOOR: COMFORT R Beige Rett. 90x90 - 35,4"x35,4"

# diningroom

WALL: COMFORT C Grey Geo Rett. 25x25 - 10"x10" COMFORT R White Rett. 44,5x90 - 17,5"x35,4"  
FLOOR: COMFORT R Smoke Rett. 90x90 - 35,4"x35,4"



WALL: COMFORT R White Rett. 44,5x90 - 17,5"x35,4" - FLOOR: COMFORT R White Rett. 90x90 - 35,4"x35,4"





COMFORT **R**  
public

WALL: COMFORT C Beige Rug Rett. 25x25 - 10"x10"  
FLOOR: COMFORT R Tin Rett. 44,5x90 - 17,5"x35,4"



# public

WALL: COMFORT R Ash Mosaic Turtle 24,7x28,5 - 9,8"x11,2"  
FLOOR: COMFORT R Ash Rett. 90x90 - 35,4"x35,4"










COMFORT **R**

bathroom



WALL: COMFORT G White - White Design 33,3x100 - 13"x39,4"  
FLOOR: COMFORT R Sand Rett. 44,5x90 - 17,5"x35,4"

# bathroom


WALL: COMFORT G White Chalk - Touch - Scratch - Brush 33,3x100 - 13"x39,4"  
FLOOR: COMFORT R Ash Rett. 59,5x59,5 - 23,4"x23,4"





# COMFORT **R**

livingroom



WALL: COMFORT R Sand Mosaic Oblique 29,7x36,5 - 11,8"x14,4"  
FLOOR: COMFORT R Sand Rett. 59,5x59,5 - 23,4"x23,4"



# COMFORT<sup>R</sup>

white



DCOR9910R **COMFORT R WHITE** Rett. 90x90 35,4"x35,4"

626/MQ



DCOR610R **COMFORT R WHITE** Rett. 59,5x59,5 23,4"x23,4"

592/MQ



DCORMT10 **WHITE MOSAIC TURTLE**  
24,7x28,5 9,8"x11,2"

547/PZ



DCORMO10 **WHITE MOSAIC OBLIQUE**  
29,7x36,5 11,8"x14,4"


547/PZ



DCOR910R **COMFORT R WHITE** Rett. 44,5x90 17,5"x35,4"

596/MQ

ash



DCOR9904R **COMFORT R ASH** Rett. 90x90 35,4"x35,4"

626/MQ



DCOR604R **COMFORT R ASH** Rett. 59,5x59,5 23,4"x23,4"

592/MQ



DCORMT04 **ASH MOSAIC TURTLE**  
24,7x28,5 9,8"x11,2"

547/PZ



DCORMO04 **ASH MOSAIC OBLIQUE**  
29,7x36,5 11,8"x14,4"

547/PZ




DCOR904R **COMFORT R ASH** Rett. 44,5x90 17,5"x35,4"

596/MQ

90x90 - 44,5x90 - 59,5x59,5  
35,4"x35,4" - 17,5"x35,4" - 23,4"x23,4"

beige



DCOR9902R **COMFORT R BEIGE** Rett. 90x90 35,4"x35,4"

626/MQ



DCOR602R **COMFORT R BEIGE** Rett. 59,5x59,5 23,4"x23,4"

592/MQ



DCORMT02 **BEIGE MOSAIC TURTLE**  
24,7x28,5 9,8"x11,2"

547/PZ



DCORMO02 **BEIGE MOSAIC OBLIQUE**  
29,7x36,5 11,8"x14,4"

547/PZ



DCOR902R **COMFORT R BEIGE** Rett. 44,5x90 17,5"x35,4"

596/MQ

sand



DCOR9922R **COMFORT R SAND** Rett. 90x90 35,4"x35,4"

626/MQ



DCOR622R **COMFORT R SAND** Rett. 59,5x59,5 23,4"x23,4"

592/MQ



DCORMT22 **SAND MOSAIC TURTLE**  
24,7x28,5 9,8"x11,2"

547/PZ



DCORMO22 **SAND MOSAIC OBLIQUE**  
29,7x36,5 11,8"x14,4"

547/PZ



DCOR922R **COMFORT R SAND** Rett. 44,5x90 17,5"x35,4"

596/MQ

90x90 - 44,5x90 - 59,5x59,5  
35,4"x35,4" - 17,5"x35,4" - 23,4"x23,4"

## tin



DCOR9940R COMFORT R TIN Rett. 90x90 35,4"x35,4"

626/MQ



DCOR640R COMFORT R TIN Rett. 59,5x59,5 23,4"x23,4"

592/MQ



DCORMT40 547/PZ  
TIN MOSAIC TURTLE  
24,7x28,5 9,8"x11,2"



DCORMO40 547/PZ  
TIN MOSAIC OBLIQUE  
29,7x36,5 11,8"x14,4"



DCOR940R COMFORT R TIN Rett. 44,5x90 17,5"x35,4"

596/MQ

## smoke



DCOR9970R COMFORT R SMOKE Rett. 90x90 35,4"x35,4"

626/MQ



DCOR670R COMFORT R SMOKE Rett. 59,5x59,5 23,4"x23,4"


592/MQ



DCORMT70 547/PZ  
SMOKE MOSAIC TURTLE  
24,7x28,5 9,8"x11,2"



DCORMO70 547/PZ  
SMOKE MOSAIC OBLIQUE  
29,7x36,5 11,8"x14,4"




DCOR970R COMFORT R SMOKE Rett. 44,5x90 17,5"x35,4"

596/MQ




## Pezzi speciali - Special Pieces



DCORB61	<b>COMFORT R WHITE BATTISCOPE</b>	Retto.	9x59,5	3 <sup>3/8</sup> "x23,4"
DCORB604	<b>COMFORT R ASH BATTISCOPE</b>	Retto.	9x59,5	3 <sup>3/8</sup> "x23,4"
DCORB64	<b>COMFORT R TIN BATTISCOPE</b>	Retto.	9x59,5	3 <sup>3/8</sup> "x23,4"
DCORB67	<b>COMFORT R SMOKE BATTISCOPE</b>	Retto.	9x59,5	3 <sup>3/8</sup> "x23,4"
DCORB602	<b>COMFORT R BEIGE BATTISCOPE</b>	Retto.	9x59,5	3 <sup>3/8</sup> "x23,4"
DCORB62	<b>COMFORT R SAND BATTISCOPE</b>	Retto.	9x59,5	3 <sup>3/8</sup> "x23,4"

514/PZ



DCORB91	<b>COMFORT R WHITE BATTISCOPE</b>	Retto.	7x90	2,8"x35,4"
DCORB904	<b>COMFORT R ASH BATTISCOPE</b>	Retto.	7x90	2,8"x35,4"
DCORB94	<b>COMFORT R TIN BATTISCOPE</b>	Retto.	7x90	2,8"x35,4"
DCORB97	<b>COMFORT R SMOKE BATTISCOPE</b>	Retto.	7x90	2,8"x35,4"
DCORB902	<b>COMFORT R BEIGE BATTISCOPE</b>	Retto.	7x90	2,8"x35,4"
DCORB92	<b>COMFORT R SAND BATTISCOPE</b>	Retto.	7x90	2,8"x35,4"

524/PZ



FLOOR: COMFORT R Ash 59,5x59,5 - 23,4"x23,4"

# COMFORT<sup>R</sup>

È stata studiata per coordinarsi con tutte le collezioni del progetto COMFORT.

Has been created to coordinate with all other COMFORT collections.












Étudiée pour être coordonnée avec toutes les collections du projet COMFORT.

Speziell so ausgelegt, dass sie mit allen Kollektion für das Projekt COMFORT koordiniert werden können.

Ha sido estudiada para coordinarse con todas las colecciones para el proyecto COMFORT.

Разработана для сочетания со всеми коллекциями проекта COMFORT.

Imballi - Packing - Emballage - Verpackung		DIGITAL TECHNOLOGY		PORCELLANATO IMPASTO COLORATO		COMFORT <sup>R</sup>	
FORMATO size format format	Pz./SCATOLA pieces/box pieces/boîte stück/karton	Mq./SCATOLA sqm/box m <sup>2</sup> /boîte qm/karton	Kg./SCATOLA Kg/box Kg/boîte Kg/karton	Sc./PALLET boxes/pallet boîtes/palette kartons/palette	Mq./PALLET sqm/pallet m <sup>2</sup> /palette qm/palette	Kg./PALLET Kg/pallet Kg/palette Kg/palette	SPESORE Thickness Epaisseur Stärke
90x90 / 35,4"x35,4" rett.	2	1,620	38,00	20	32,40	780	10,5 mm
44,5x90 / 17,5"x35,4" rett.	3	1,200	28,50	32	38,40	927	10,5 mm
59,5x59,5 / 23,4"x23,4" rett.	4	1,440	32,11	30	43,20	978	10 mm
29,7x36,5 / 11,8"x14,4" mos. oblique	4	-	-	-	-	-	-
24,7x28,5 / 9,8"x11,2" mos. turtle	4	-	-	-	-	-	-
9x60 / 3 <sup>3/5</sup> "x24" battiscopa rett.	12	-	-	-	-	-	-
9x59,5 / 3 <sup>3/5</sup> "x23,4" battiscopa rett.	12	-	-	-	-	-	-
7x90 / 2,8"x35,4" battiscopa rett.	6	-	-	-	-	-	-

Dati tecnici secondo norme: Technical data conform to: Caractéristiques techniques d'après normes: Technische Daten nach den Normen: EN 14411 B.I. GL			COMFORT <sup>R</sup>		COMFORT <sup>R</sup>		
	Caratteristiche tecniche Technical data Caractéristiques techniques Technische Daten	Norme Norms Normes Norm	Valori Value Valeur Wert		Caratteristiche tecniche Technical data Caractéristiques techniques Technische Daten	Norme Norms Normes Norm	Valori Value Valeur Wert
	Resistenza all'abrasione Abrasion resistance Résistance à l'abrasion Abrasionswiderstandigkeit	ISO 10545-7	PEI IV		Scivolosità Slipperiness Degré de glissement Rutschhemmung	DIN 51130	R10
	Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme	ISO 10545-3	≤ 0,5%		Resistenza allo scivolamento Slip resistance Résistance au glissement Rutschhemmung	DIN 51097	B
	Resistenza alla flessione Breaking modulus Résistance à la flexion Biegefestigkeit	ISO 10545-4	40±55 N/mm <sup>2</sup>		Scivolosità Slipperiness Degré de glissement Rutschhemmung	ANSI A137-1	> 0,42
	Resistenza al gelo Resistance to frost Résistance au gel Frostbeständigkeit	ISO 10545-12	Non gelive Frost proof Ingélif Frostsicher		Durezza Mohs Mohs hardness Dureté Mohs Haerte Mohs	EN101	9
	Resistenza all'attacco acido e basico Glaze resistance to acid and alkaline attack Resistance aux acides et aux bases Saeure-und laugenfestigkeit	ISO 10545-13	Resiste Resists Resiste Bestanding		Scivolamento B.C.R.A. Slipperiness B.C.R.A. Degré de glissement B.C.R.A. Rutschhemmung B.C.R.A.	TORTUS	WET > 0,44 DRY > 0,50
	Resistenza alle macchie Stain resistance Résistance aux taches Fleckenfestigkeit	ISO 10545-14	Totale Complete Totale Absolut				

I valori indicati nella tabella si riferiscono alle prove eseguite sul colore WHITE.

The values in the table refer to the tests performed on color WHITE.

Les valeurs indiquées dans le tableau se réfèrent aux essais exécutés sur le couleur WHITE.

Die in der Tabelle angegebenen Werte beziehen sich auf die Tests die auf dem Farbe WHITE ausgeführt wurden.

Los valores indicados en la tabla se refieren a las pruebas realizadas sobre el color WHITE.

Указанные в таблице значения относятся к испытаниям, проведенным на бежевом оттенке WHITE.





SEDE COMMERCIALE  
STRADA STATALE 569, N°167/A  
ITALY - 41014 SOLIGNANO (MO)  
TEL +39 059 75.77.911  
FAX +39 059 75.77.966  
info@domceramiche.it  
www.domceramiche.it

